
Kalbio Biotechnology
20503 Crescent Bay Dr
Lake Forest, Ca 92630
United States

Certificate of Analysis

Tesamorelin 10 mg

Report For: Report For: Luxora

Compound: Tesamorelin
Quantity:10 mg
Batch # 80426-TESA10
Lot Number:344-TESA10
Manufactured Date: 08/06/2026
Expiration:06/06/2028



Analysis	Method	Result (per Vial)		
Chromatographic Purity	HPLC-UV/VIS	99.47%	99.42%	99.49%
Quantity	HPLC-UV/VIS	10.03 mg	10.13 mg	9.24 mg

Report By: Daniel Myers, Laboratory Director on 08/21/2026

Approved By: Esteban Solis, Operations Manager on 08/21/2026

ISO 17025:2017 ACCREDITED LABORATORY

Please consult Certificate #6377.01.01 for a list of accredited tests. Samples were received in acceptable condition. The result(s) in this report relate only to the portion of the sample(s) tested. All analyses were performed consistent with the Kalbio Biotechnology Quality Control. Kalbio Laboratory and its staff did not observe or participate in the sample selection process, and cannot confirm the authenticity of the sample or its representativeness of the associated lot/batch.

Kalbio Biotechnology
20503 Crescent Bay Dr
Lake Forest, Ca 92630
United States

Certificate of Analysis

Tesamorelin 10 mg

Report For: Luxora

Compound: Tesamorelin
Quantity:10 mg
Batch # 80426-TESA10
Lot Number:344-TESA10
Manufactured Date: 08/06/2026
Expiration:06/06/2028

Analyte	Method	LOQ (ppm)	Result (ppm)
Arsenic (As)	ICP-MS	0.01	ND
Cadmium (Cd)	ICP-MS	0.01	ND
Lead (Pb)	ICP-MS	0.02	ND
Mercury (Hg)	ICP-MS	0.005	ND

RunID: 260224

Analysis	Method	Result
Endotoxins	LAL	Pass - <5.00 EU/mg*
BioBurden	USP <61>	Pass - No GrowthDetected

*Pass/Fail criteria based on the USP/FDA threshold of 5 EU/kg (350 EU total for a 70 kg adult)

Report By: Dustin Newman, Laboratory Director on 3/4/2026

Approved By: Esteban Solis, Operations Manager on 08/21/2026

ISO 17025:2017 ACCREDITED LABORATORY

ND: Non-Detect
LOD: Limit of Quantification

Please consult Certificate #6377.01.01 for a list of accredited tests. Samples were received in acceptable condition. The result(s) in this report relate only to the portion of the sample(s) tested. All analyses were performed consistent with the Kalbio Biotechnology Quality Control. Kalbio Laboratory and its staff did not observe or participate in the sample selection process, and cannot confirm the authenticity of the sample or its representativeness of the associated lot/batch.